

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L36	1	"6757826".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 11:41
L35	474	34 and @ad<="20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 11:41
L34	1231	33 and (digit\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:34
L33	1954	signature\$2 near3 register\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:34
L30	119	L29 and @ad<="20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:34
L32	59	30 and register\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:33
L31	39	L30 and digitizer\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:32
L29	298	L28 and (detect\$4 or discern\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:32
L28	337	(hide hidden) near4 signature\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:32
S18 3	39	S182 and digitizer\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:31
L27	48	26 and register\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:31
L26	56	signature\$2 same (difficult\$2 near5 discern\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:30

S12 4	56	signature\$2 same (difficult\$2 near5 discern\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:29
S17 5	47	S174 and (signature\$2 same ((dotted near2 line\$2) (dotted-line\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:27
L25	21	24 and register\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:27
L24	47	L23 and (signature\$2 same ((dotted near2 line\$2) (dotted-line\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:27
L23	6551	display\$4 same signature\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:27
S71	141	S35 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:26
L20	144	L19 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:26
L19	317	document\$1 and ((mask\$3 redact\$4) same signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:26
L18	226	L17 and register\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:22
S20 0	226	S199 and register\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:21
L17	396	L16 and (digital digitiz\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:21
L16	553	L15 not L13	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:21

L15	554	L14 and @ad<="20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:21
L14	1034	L10 and (color\$2 and background\$2 and ((broken near2 line\$2) broken-line\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:21
L13	88	L12 and @ad<="20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:21
L12	240	L11 and (color\$2 background\$2 (broken near2 line\$2) broken-line\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:21
L11	242	L10 and ((hard or difficult) near5 discern\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:21
L10	93301	(signature\$2 (sign\$2 near3 name\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/17 09:21
S19 9	396	S198 and (digital digitiz\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 16:52
S19 8	553	S197 not S195	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 16:51
S19 7	554	S196 and @ad<="20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 16:51
S19 6	1034	S192 and (color\$2 and background\$2 and ((broken near2 line\$2) broken-line\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 16:51
S19 5	88	S194 and @ad<="20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 16:51
S19 4	238	S193 and (color\$2 background\$2 (broken near2 line\$2) broken-line\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 16:51

S19 3	240	S192 and ((hard or difficult) near5 discern\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 16:51
S19 2	93123	(signature\$2 (sign\$2 near3 name\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 16:51
S16 6	396	S165 and (digital digitiz\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 16:51
S19 1	90	S190 and register\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 16:49
S19 0	144	S189 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 16:49
S18 9	316	document\$1 and ((mask\$3 redact\$4) same signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 16:49
S18 8	75	S187 and register\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 16:48
S18 7	83	S186 not S183	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 16:47
S18 6	122	S185 and digitizer\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 16:47
S18 5	901	S184 and (detect\$4 or discern\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 16:47
S18 4	1115	(hide hidden) same (signature\$2 (sign\$2 near3 name\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 16:47
S18 2	119	S181 and @ad<="20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 16:47

S18 1	298	S180 and (detect\$4 or discern\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 16:47
S18 0	337	(hide hidden) near4 signature\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 16:47
S15 1	83	S150 not S146	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 16:47
S17 9	0	S178 and register\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 16:28
S17 8	2	S176 S177	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 16:28
S17 7	1	"6,209,102".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 16:28
S17 6	1	"6,757,826".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 16:28
S17 4	6534	display\$4 same signature\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 11:28
S17 2	119	S171 and (signature\$2 and secur\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 11:28
S17 3	1	"5285506".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 10:57
S17 1	4956	ncr.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 10:53
S17 0	9	S169 and signature\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 10:52

S16 9	26	verisign.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 10:51
S16 8	0	"verisign.as"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 10:51
S16 7	0	verizign.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 10:50
		S35 and @ nbad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/16 10:50
S16 5	553	S164 not S161	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 15:51
S16 4	554	S163 and @ad<="20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 15:51
S16 1	88	S160 and @ad<="20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 15:51
S16 3	1034	S157 and (color\$2 and background\$2 and ((broken near2 line\$2) broken-line\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 15:50
S16 2	80540	S157 and (color\$2 background\$2 (broken near2 line\$2) broken-line\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 15:50
S16 0	238	S158 and (color\$2 background\$2 (broken near2 line\$2) broken-line\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 15:50
S13 2	242	S131 and @ad<="20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 15:41
S15 9	4155476	S158 (color\$2 background\$2 (broken near2 line\$2) broken-line\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 15:40

S15 8	240	S157 and ((hard or difficult) near5 discern\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 15:40
S14 0	4493	signature\$2 same (color\$2 background\$2 (broken near2 line\$2) broken-line\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 15:40
S15 7	93123	(signature\$2 (sign\$2 near3 name\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 15:39
S13 3	201	(signature\$2 (sign\$2 near3 name\$2)) same (((hard difficult) near4 (discern\$4 recogni\$5))(cover\$4 near2 up))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 15:39
S15 6	66	okazaki near3 masaru	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 15:37
S15 5	23	machida near3 hatsuo	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 15:35
S15 4	1	"20010048743"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 15:34
S15 3	108	yoshii near3 hiroto	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 15:31
S15 2	7586	yoshii.inv.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 15:30
S15 0	122	S149 and digitizer\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 15:26
S14 9	901	S148 and (detect\$4 or discern\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 15:26
S14 6	39	S145 and digitizer\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 15:26

S14 4	298	S143 and (detect\$4 or discern\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 15:26
S14 8	1115	(hide hidden) same (signature\$2 (sign\$2 near3 name\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 15:25
S14 7	1059	(hide hidden) same signature\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 15:25
S14 3	337	(hide hidden) near4 signature\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 15:25
S14 5	119	S144 and @ad<="20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 15:22
S14 2	74	S141 and (hide\$2 invisible)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 13:46
S14 1	272	S140 and stroke\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 13:45
S13 9	82	S138 and (hide hidden (cover\$4 near3 up))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 13:44
S13 8	378	(digit\$5 near4 tablet\$2) and (signature\$2 (sign\$2 near3 name\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 13:28
S13 7	89	S136 and @ad<="20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 13:27
S13 6	149	(handwriting handwritten) same (((hard difficult) near4 (discern\$4 recogni\$5))(cover\$4 near2 up))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 12:50
S13 5	523	(signature\$2 handwriting handwritten (sign\$2 near3 name\$2)) same invisible	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 12:50

S13 4	163	S133 not S132	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 12:04
		((signature\$2 (sign\$2 near3 name\$2)) same (((hard difficult) near4 (discern\$4 recogni\$5))(cover\$4 near2 up))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 12:03
S12 9	65	(sign\$2 near3 name\$2) same (hide hidden)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 12:01
S13 1	601	S130 or S129	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 11:20
S12 8	25	(sign\$2 near3 name\$2) with (hide hidden)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 11:20
S13 0	542	signature\$2 with (hide hidden)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 11:19
S12 7	146	S126 and digit\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 11:15
S12 6	232	S125 not S124	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 10:21
S12 5	233	signature\$2 same (difficult\$2 near5 detect\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 10:21
S12 3	2468	382/181,187.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 10:12
S13	2280	382/181,187.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 10:10
S12 2	860	715/526,528,534,541.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 10:09

S12	742	715/526,528,534,541.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/15 10:09
S12 1	44	S120 and @ad<="20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 17:56
S12 0	84	register\$4 same (handwrit\$5 near3 signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 17:55
S11 9	1	S117 and register\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 17:55
S11 8	0	S109 and register\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 17:54
S11 7	1	"5544255".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 17:54
S11 6	107	S115 and @ad<="20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 17:53
S11 3	432	S112 and @ad<="20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 15:45
S11 5	156	(display\$4 show\$4) near6 (portion\$2 near5 signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 15:40
S11 4	156	(display\$4 show\$4) near6(portion\$2 near5 signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 15:40
S11 2	685	(display\$4 show\$4) same (portion\$2 near5 signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 15:40
S11 1	2724	(display\$4 show\$4) same portion\$2 same signature\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 15:39

S110	1	S109 and (color\$2 background graphic\$3 image\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 15:38
S109	1	"6757826"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/26 15:09
S108	1	"6209102".pn. and time	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 13:25
S107	1	S106 and time	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 13:24
S106	1	"6757826".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 13:23
S105	215	(signature\$2 pin privilege confidential (secur\$4 near4 (data information)) password\$2 (pass adj word\$2)) near7 display\$4 near7 (colour\$2 color\$2 darken background\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 13:23
S104	1551	S103 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 11:12
S103	2516	(signature\$2 pin privilege confidential (secur\$4 near4 (data information)) password\$2 (pass adj word\$2)) same display\$4 same (colour\$2 color\$2 darken background\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 11:12
S101	204	S100 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 11:12
S99	274	(signature\$2 pin privilege confidential (secur\$4 near4 (data information))) same display\$4 same ((dotted broken) near3 line\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 11:10
S102	65	S100 not S101	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 11:05

S93	13	S92 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 10:53
S10 0	269	S99 not S98	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 10:52
S98	5	(signature\$2 pin privilege confidential (secur\$4 near4 (data information))) near5 display\$4 near5 ((dotted broken) near3 line\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 10:52
S97	158	S96 and (display\$4 same signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 10:42
S96	1006	(redact\$4 mask\$4) same (signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 10:00
S95	311	(redact\$4 mask\$4) near5 (signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 10:00
S41	311	(redact\$4 mask\$4) near5 (signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 09:59
S94	111	S92 not S93	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 09:58
S2	90	S1 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 09:49
S92	124	S91 and (display\$4 same (password\$2 (pass adj word\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 09:48
S91	150	(password\$2 (pass adj word\$2)) same ((hard difficult) near6 (recogniz\$4 detect\$4 perceiv\$4 discern\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 09:48
S49	15	((digital handwrit\$4) near4 signature\$2) same ((hard difficult) near6 (recogniz\$4 detect\$4 perceiv\$4 discern\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 09:47

S90	3671	display\$4 near5 (password\$2 (pass adj word\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 17:14
S89	37	S88 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 17:13
S85	664	S84 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 17:09
S88	183	(password\$2 (pass adj word\$2)) near4 (redact\$4 mask\$4 darken)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 17:08
S87	130	S85 and (redact\$4 mask\$4 highlight\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 17:08
S86	20	S85 and ((block\$2 grayed) near3 out)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 16:55
S84	1120	display\$4 near3 signature\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 16:51
S83	267	S82 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 16:51
S76	161	S75 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 16:51
S82	455	(redact\$4 mask\$4) same (confidential privileg\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 16:41
S81	3	(redact\$4 mask\$4) same (signed near3 name\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 16:39
S80	0	(redact\$4 mask\$4) near5 (signed near3 name\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 16:38

S38	36	((redact\$4 mask\$4) same (signature\$2 same name\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 16:38
S37	9	redact\$4 same signature\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 16:33
S79	1	"5581682".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 16:32
S42	191	S41 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 16:31
S78	1	signature\$2 near3 darken	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 16:07
S77	157	S76 not S67	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 16:07
S74	22	S73 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:53
S75	210	signature\$2 same (dotted adj line\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:52
S73	32	S72 and (signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:42
S72	510	715/526,528.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:41
S70	5758	S69 and ((image\$2 sign\$2) near5 (broken near3 line\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:34
S68	29844	((image\$2 sign\$2) same (broken near3 line\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:34

S69	23607	S68 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:32
S67	93	S66 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:32
S66	108	(signature\$2 same (broken near3 line\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:32
S54	53	S53 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:16
S62	613	signature\$2 near5 cover\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:15
S65	31	S64 and (invisible non-display\$4 mask\$4 redact\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:11
S64	89	S63 and (signature\$2 same cover\$4 same (ink\$2 color\$2 colour\$2 background\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:11
S63	407	S62 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:08
S61	1	signature\$2 near5 (non-display\$4 nondisplay\$4 ('not' near4 display\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:07
S56	111	S55 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:07
S60	1	signature\$2 near5 display\$4 near6 (broken adj line\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:06
S59	79	S58 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:04

S58	163	S57 and (display\$4 same signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 12:37
S51	141	S50 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 12:37
S57	1117	713/176.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 12:31
S55	240	hidden near4 signature\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 11:53
S53	137	display\$4 near5 (digital near3 signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 11:44
S52	23	opaque near5 signature\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 11:44
S44	620	S39 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 11:44
S50	268	((digital handwrit\$4) near4 signature\$2) signature\$2) same ((hard difficult) near6 (recogniz\$4 detect\$4 perceiv\$4 discern\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 11:01
S48	3	((digital handwrit\$4) near4 signature\$2) same (re-dact\$4 redact\$4 mask\$4 encrypt\$4 en-crypt\$4)) same ((hard difficult) near6 (recogniz\$4 detect\$4 perceiv\$4 discern\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 11:00
S47	4389	((digital handwrit\$4) near4 signature\$2) same (re-dact\$4 redact\$4 mask\$4 encrypt\$4 en-crypt\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 10:58
S34	16	S33 and (digital same signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 10:55
S46	80	S45 and (display\$4 same (signature\$2 handwrit\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 10:13

S45	587	S44 not S43	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 10:12
S40	465173	(redact\$4 mask\$4) near5\ (signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 10:11
S43	33	S42 and (display\$4 same signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 10:04
S39	1006	(redact\$4 mask\$4) same (signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 10:01
S36	0	redact\$4 same handwrit\$4 same signature\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 09:59
S35	260	document\$1 and ((mask\$3 redact\$4) same signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 09:59
S33	155	(document and redact\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 09:58
S6	109	input near4 hand\$8 near5 signature\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 09:58
S5	153	S4 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/10 16:57
S4	351	S3 not S2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/10 16:56
S3	441	display\$4 same signature\$2 same (background\$2 color\$2 colour\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/10 16:50
S1	161	display\$4 same signature\$2 same background\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/10 16:50

S11	64	(input near4 hand\$8 near5 signature\$2) and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/10 16:49
S18	10	((signature\$2 near5 (scramb\$4 encrypt\$4)) and @ad<"20000623") and (display\$4 same signature\$2 same color\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/10 16:32
S17	122	((signature\$2 near5 (scramb\$4 encrypt\$4)) and @ad<"20000623") and (difficult near6 (discern\$4 recogniz\$4 detect\$4 perceiv\$4))) not ((input near4 hand\$8 near5 signature\$2) and @ad<"20000623")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/10 15:29
S16	123	((signature\$2 near5 (scramb\$4 encrypt\$4)) and @ad<"20000623") and (difficult near6 (discern\$4 recogniz\$4 detect\$4 perceiv\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/10 15:06
S15	1616	(signature\$2 near5 (scramb\$4 encrypt\$4)) and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/10 15:05
S14	4161	signature\$2 near5 (scramb\$4 encrypt\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/10 15:04
S10	110	input near4 hand\$8 near5 signature\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/10 13:30
S7	64	(input near4 hand\$8 near5 signature\$2) and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/10 13:30
S9	42	((hand\$8 near3 signature\$2) same (password\$2 (pass adj word\$2))) and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/28 10:21
S8	113	(hand\$8 near3 signature\$2) same (password\$2 (pass adj word\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/28 10:21